


Material Handling Equipment

Product Catalog





- Superior Quality Products
- Innovative Designs & Ideas
- Wide Range of Products







Hydraulic PALLET TRUCK

Hand Pallet Truck with weighting scale easy to handle & allow user to measure the physical weight of container & pallet during transit.

FEATURES

- Advanced Design of Every Part
- Robust Body Heavy Duty Frame
- Easy to Operate
- Enhance Performance & Reliability
- Heavy Duty Hydraulic Pump
- High Quality Finish & Powder Coated Color

MODEL	MH-HPT2.5-1150	MH-HPT3-1150	MH-HPT5-O330T
Load Capacity (kg)	2500	3000	5000
Min Fork Height (A)	85	85	85
Max Fork Height (B)	200	200	200
Minimum Height (C)	435	435	435
Overall Height (D)	1220	1220	1220
Fork Width (E)	160	160	160
Fork Distance In-In (F)	230	230	230
Fork Distance Out-Out (G)	550	550	550
Fork Length (H)	1150	1150	1150
HPT Overall length (I)	1530	1530	1530
Steering Wheels	Dia 180x50	Dia 180x50	Dia 180x50
Fork Roller	Dia 80x70	Dia 80x70	Dia 80x70





Hydraulic DRUM LIFTER & TILTER

A Hydraulic Drum Lifter & Tilter is a powerful industrial tool for effortlessly lifting and tilting heavy drums. It ensures safe and efficient material handling, making it easier to load, unload, and pour drum contents.

TECHNICAL SPECIFICATIONS

- Overall Size L 1300 x W 850 mm
- Drum Tilting Angle 360
- Front Wheels Dia 150 x 50 mm 2 Nos
- Steering Wheels Dia 200 x 50 mm 2 Nos

MODEL	MH-HDT-O315T	MH-HDT-O325T	MH-HDT-O330T
Lifting capacity (kg)	300	300	300
Max. drum height H1 (mm)	1500	2500	3000
Min. drum height H2 (mm)	400	400	400
Load centre	600	600	600
Lift per stroke (mm)	20	20	20
Min. turning radius (mm)	1600	1600	1600
Min. overall height H3 (mm)	1700	2200	2500
Max. overall height H4 (mm)	2400	3400	4000





Hydraulic STACKER

A hydraulic stacker is a powerful lifting device for moving heavy loads in warehouses and factories. It uses hydraulic power for smooth vertical movement, making material handling efficient and streamlined.

FEATURES

- Advanced Design of Every Part
- ◆ Robust Body Heavy Duty Frame
- Easy to Operate
- Enhance Performance & Reliability
- Heavy Duty Hydraulic Pump
- High Quality Finish & Powder Coated Color



MODEL	MH-HS-O515T	MH-HS-O525T	MH-HS-O530T	MH-HS-1015T	MH-HS-1025T	MH-HS-1030T
Lifting capacity (kg)	500	500	500	1000	1000	1000
Max. fork height H1 (mm)	1500	2500	3000	1500	2500	3000
Min. fork height H2 (mm)	100	100	100	100	100	100
Load Centre (mm)	600	600	600	600	600	600
Lift per stroke (mm)	20	20	20	20	20	20
Min. turning radius (mm)	1300	1300	1300	1300	1300	1300
Fork length (mm)	1100	1100	1100	1100	1100	1100
Width over forks (mm)	540	540	540	540	540	540
Min. overall height H3 (mm)	1600	2100	2400	1600	2100	2400
Max. overall height H4 (mm)	2300	3300	3900	2300	3300	3900

Semi-Electric STACKER

A semi-electric stacker is a versatile tool for lifting and moving heavy loads in warehouses. It combines electric lifting with manual maneuvering, making it efficient and ergonomic. It's great for stacking pallets and containers, enhancing productivity in tight spaces.

TECHNICAL SPECIFICATIONS

- ◆ Overall Size L 1700 x W 700 mm
- Load Centre 600 mm
- Front Wheels Dia 82 x 96 mm 2 Nos.
- Steering Wheels Dia 200 x 50 mm 2 Nos.



MODEL	MH-SES-O515DC	MH-SES-O525DC	MH-SES-O530DC	MH-SES-1015DC	MH-SES-1025DC	MH-SES-1030DC
Lifting capacity (kg)	500	500	500	1000	1000	1000
Max. fork height H1 (mm)	1500	2500	3000	1500	2500	3000
Min. fork height H2 (mm)	100	100	100	100	100	100
Min. overall height H3 (mm)	1600	2100	2400	1600	2100	2400
Max. overall height H4 (mm)	2300	3300	3900	2300	3300	3900

Hydraulic FLOOR CRANE

A hydraulic floor crane is a strong and adaptable lifting tool that uses hydraulic power for efficient lifting of heavy objects. It's widely used in industries like manufacturing, warehouses, and construction for tasks such as loading, transporting, and positioning heavy loads with precision.

FEATURES

- Advanced Design of Every Part
- Robust Body Heavy Duty Frame
- Easy to Operate
- Enhance Performance & Reliability
- Heavy Duty Hydraulic Pump
- High Quality Finish & Powder Coated Color

Model Name					
MH-HFC-0525T		MH-HFC-1025T			
Lifting Height 2500 MM	Lifting Capacity 2500 (KG) AT	Lifting Height 2500 MM	Lifting Capacity 2500 (KG) AT		
A 500	A 300	A 1000	A 700		
B 400	B 250	B 900	B 600		
C 350	C 200	C 800	C 500		





OUR OTHER PRODUCTS •



Hygienic Plastic Pallets



Injection Molded Plastic Pallets



Drum Spill Containment Pallets



Road Safety Products



Insulated Ice Box

SWIFT TECHNOPLAST PVT LTD



B-116-117, TTC Industrial Area, Punit Industrial Estate, MIDC Turbhe, Navi Mumbai, Maharashtra, India - 400705

Tel: (+91) 88888 00064 / 88888 70873 CIN: U25203MH2010PTC202558 Email: marketing@swiftind.co.in Website: www.swiftind.co.in





